

UL Product iQ™



# ZODZ2.E301798 - POSITIONING DEVICES - COMPONENT

## Positioning Devices - Component

See General Information for Positioning Devices - Component

**OBO BETTERMANN HOLDING GMBH & CO. KG**

E301798

Hueingser Ring 52


58710 Menden, GERMANY

### Positioning Devices Investigated to ANSI/UL 1565

Catalog No.	Maximum Use Temp °C(°F)
<b>Plastic Wiring Ducts "L4/N Series"</b>	
L4/N 60015	50 (122)
L4/N 60025	50 (122)
L4/N 60040	50 (122)
L4/N 60060	50 (122)
L4/N 60080	50 (122)
L4/N 60100	50 (122)
L4/N 60120	50 (122)
L4/N 80025	50 (122)
L4/N 80040	50 (122)
L4/N 80060	50 (122)
L4/N 80080	50 (122)
L4/N 80100	50 (122)
L4/N 80120	50 (122)
<b>Plastic Wiring Ducts "LK4 Series"</b>	
LK4 15015	50 (122)
LK4 30015	50 (122)

<b>LK4 30025</b>	50 (122)
<b>LK4 40025</b>	50 (122)
<b>LK4 40040</b>	50 (122)
<b>LK4 40060</b>	50 (122)
<b>LK4 40080</b>	50 (122)
<b>LK4 40100</b>	50 (122)
<b>LK4 60015</b>	50 (122)
<b>LK4 60025</b>	50 (122)
<b>LK4 60040</b>	50 (122)
<b>LK4 60060</b>	50 (122)
<b>LK4 60080</b>	50 (122)
<b>LK4 60100</b>	50 (122)
<b>LK4 60120</b>	50 (122)
<b>LK4 80025</b>	50 (122)
<b>LK4 80040</b>	50 (122)
<b>LK4 80060</b>	50 (122)
<b>LK4 80080</b>	50 (122)
<b>LK4 80100</b>	50 (122)
<b>LK4 80120</b>	50 (122)
<b>Plastic Wiring Ducts "LKV Series"</b>	
<b>LKV 100037</b>	50 (122)
<b>LKV 100050</b>	50 (122)
<b>LKV 100075</b>	50 (122)
<b>LKV 100100</b>	50 (122)
<b>LKV 25025</b>	50 (122)
<b>LKV 37025</b>	50 (122)
<b>LKV 37037</b>	50 (122)
<b>LKV 50025</b>	50 (122)
<b>LKV 50037</b>	50 (122)
<b>LKV 50050</b>	50 (122)

<b>LKV 50075</b>	50 (122)
<b>LKV 75025</b>	50 (122)
<b>LKV 75037</b>	50 (122)
<b>LKV 75050</b>	50 (122)
<b>LKV 75075</b>	50 (122)
<b>LKV 75100</b>	50 (122)
<b>LKV 75125</b>	50 (122)
<b>Plastic Wiring Ducts "LKV/N Series"</b>	
<b>LKV/N 100037</b>	50 (122)
<b>LKV/N 100050</b>	50 (122)
<b>LKV/N 100075</b>	50 (122)
<b>LKV/N 100100</b>	50 (122)
<b>LKV/N 75025</b>	50 (122)
<b>LKV/N 75037</b>	50 (122)
<b>LKV/N 75050</b>	50 (122)
<b>LKV/N 75075</b>	50 (122)
<b>LKV/N 75100</b>	50 (122)
<b>LKV/N 75125</b>	50 (122)
<b>Plastic Wiring Ducts "LKVH Series"</b>	
<b>LKVH 50037</b>	60 (140)
<b>LKVH 50050</b>	60 (140)
<b>LKVH 50075</b>	60 (140)
<b>LKVH 75037</b>	60 (140)
<b>LKVH 75050</b>	60 (140)
<b>LKVH 75075</b>	60 (140)
<b>LKVH 75100</b>	60 (140)
<b>LKVH 75125</b>	60 (140)

Marking: Company name, catalog or model number, the Recognized Component Mark,  and, if published with the product, the product's maximum and minimum operating temperature, minimum installation temperature if

below 0°C, minimum and maximum bundle diameter, loop tensile strength, type designation and/or declared mechanical strength on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2017-02-11

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions:

1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings).
2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"